

Our product range



televic
conference

Make your moderated meetings simple, streamlined, and successful.

Your meetings with Televic Conference: more efficient, streamlined and flexible than ever.

Televic Conference has been a reference in **speech amplification and modular solutions** for council meetings for decades. Our internationally acclaimed technologies are used by international institutions with the most demanding requirements, such as the **NATO headquarters, the European Parliament** and the **World Health Organisation**. But our solutions are also available on a smaller scale, with hardware and software set-ups tailored to the specific needs of local city councils.



- + Physical, remote & hybrid meetings
- + Crisp, clear audio
- + Airtight privacy & security
- + User-friendly voting & interactivity
- + Translating solutions

A global customer portfolio: from city councils to large institutions.




Custom made solutions.



Award winning designs.



Meet the Televic Conference key players.



→ WATCH THE FULL
KEY PLAYER VIDEO



UniCOS TT

- + All in one multimedia device
- + Increased participant engagement
- + Connects to any remote platform
- + Chairperson meeting moderation: speaker list / request list / video / agenda / delegates

D-cerno

- + Plug & play or Connect & Meet
- + Hear and be heard
- + Built-In recording
- + Redundancy and hot swap

Confidea FLEX wired

- + One FLEX, many faces (button change delegate, chairperson, dual use)
- + Grows with needs of customer

Confidea FLEX G4 wireless

- + Worry free wireless
- + Built with security in mind
- + MEET in 1 – 2 – 3 (button WAP & connection screen to meeting mode transition)
- + Smart battery management

Lingua ID

- + ISO compliant
- + Intuitive & ergonomic design
- + Hearing protection technology
- + Video distribution capabilities (HDMI port)



A complete overview of the Televic Conference product range.

CENTRAL CONFERENCE UNIT - PLIXUS SYSTEM	7
TABLETOP UNITS	
Confidea FLEX G4 Wireless	18
Confidea FLEX Wired	20
Confidea T	29
Confidea G3 Wireless	32
FLUSHMOUNT UNITS	
Confidea F	42
D-cerno F	50
Custom	54
MULTIMEDIA UNITS	
uniCOS	58
uniBOX	65
V-IN V-OUT	66
PLIXUS NAMEPLATE	67
PLUG & PLAY D-Cerno	70
CAMERA TRACKING	76
TRANSLATION SOLUTIONS	
Lingua ID	82
Lingua IR	84
SOFTWARE	
Confero 360	88
Confero Meet	92
CoCon	100
T-Rex	104
ACCESSORIES	
Microphones	107
Headphones	109
Authentication	110
Cables	111

PLIXUS SYSTEM



Reliability, performance, interoperability: the key words to describe the Plixus network

The Plixus network is an advanced conferencing network that allows:

- 64 audio channels of "broadcast" quality
- 6 low-latency HD video streams
- Voting results
- Documents
- Interactive data
- **Power supply through Cat 5e cabling**

Thanks to the automatic input and output connectivity of all units, the network is completely redundant, for great reliability. Furthermore, the units can be replaced without interrupting the signal.


Whether it is a city council that would like to extend its wired solution with some wireless units, or a regional council that's looking for a multimedia solution for the president as well as wired Confidea FLEX units for the participants in the room, the unique mix-and-match functionality can connect all types of units within one system.

The Plixus network responds to your need for flexibility in the meeting rooms of today.

Even though the Plixus network is a closed network based on proprietary technology, the Plixus central unit allows to connect to third-party solutions. The audio is rendered through analog connections and Dante, the video through SDI, the conference data via open API, and the agenda data through XML in CoCon.

Drawing of the Plixus network


- Plixus network
- HD video
- Documents
- HD audio
- IP
- Controlled data



PLIXUS SYSTEM



Drawing of the complete Plixus network



PLIXUS SYSTEM



» Plixus MME

71.98.2900

The Plixus Multimedia Engine is autonomous, 19" rack-mountable (2U), manages the conference and integrates the processing and management of the necessary signal of the multimedia part. On the back, there are 4 RJ45 conference network ports (standard cables FTP Cat 5E AWG24), the redundant Dante ports, 3 analog inputs, 3 analog outputs and a HD-SDI video input and output. The LAN configuration port allows to access the intern web server and to connect the CoCon Room Server. To benefit from the multimedia functionalities, you need the CoCon Discussion software (not included).

» Plixus AE-R

71.98.2902

The Plixus Audio Engine with Recording is 19" rack-mountable. This central 1U is autonomous, manages the conference and integrates the processing and management of the necessary signal of the "audio only" part. Power supply up to 220W included (+/- 40 units). On the back, there are 4 RJ45 conference network ports (standard cables FTP Cat. 5E AWG24), 2 redundant Dante ports (card optional), 3 analog inputs, 3 analog outputs and a USB 2.0 port for audio recording. The LAN port allows to access the web-based interface of to connect the CoCon Room Server. A second power supply can be connected.

» Plixus NEXT

71.98.2911


The Plixus Network Extender (2nd generation) is a unit used to increase the number of available ports of the Plixus network and to create a redundant system. Plixus NEXT needs a 48 V power supply through Plixus PS. It offers 4 additional conference ports.

» Plixus PS

71.98.2930

External power supply for NEXT. Plixus PS is a 1U device which has 1000 W (48 V - 21 A).

PLIXUS SYSTEM



» Plixus AE-R PS

71.98.2931

Additional power supply (220 W) for Plixus AE-R.

» Dante Audio Networking Card

71.98.2950

The Dante audio networking card is a plug-in card that fits inside Plixus MME and Plixus AE-R, and provides a user-friendly digital audio distribution interface. This card allows to insert or take out up to 64 audio channels out of Plixus MME or Plixus AE-R.



"In Televic Conference we have found a partner who thinks along with us and allows us to support the decision-making process in an efficient and transparent manner."

**ARNOUT VAN KOOIJ,
GEMEENTE IJSSELSTEIN, NEDERLAND**



TABLE TOP UNITS

CONFIDEA FLEX WIRED AND WIRELESS



→ WATCH THE FULL
PRODUCT VIDEO



CONFIDEA FLEX WIRED

One single unit with different faces

The Confidea FLEX device adapts to the needs of every meeting and every conference. Delegates can become chairpersons with a single movement, and the other way around. The chairperson controls the meeting by starting and pausing the meeting,

selecting the next person on the speaker request list, the agenda, the voting sessions and the recordings. Beyond its unique look, the feel is different as well. During some actions, the touch screen gives haptic feedback by giving a light vibration.

A mix-and-match conference solution

The Confidea FLEX device works with the architecture of the Plixus network and can be combined with other systems compatible with the Plixus network as well. This allows to mix and match different conference units within the same project for a custom system that fits your needs and budget.

Thanks to the mix-and-match, it is possible to connect Confidea FLEX to the uniCOS multimedia system, depending on whether the participants want to follow the meeting on their own screen or on the big screen.



- » L-VT (Vote) 71.98.1401

Voting licence. The number of buttons is configurable from 2 to 10 virtual options. The total result is visible after the voting.
- » L-ID (Identification) 71.98.1402

Participant identification licence. This licence allows the users to identify themselves with an RFID or NFC badge.
- » L-LS (Language Selection) 71.98.1403

Participant language selection licence. This licence allows the users to select one of the interpretation channels.
- » L-DU (Double Use) 71.98.1404

Licence that allows 2 delegates to use the unit. There are 2 speaker request buttons, 2 interpretation channel selectors, 2 identifications and 2 simultaneous votings. For L-VT, L-ID, L-LS, you need licences for each delegate.
- » L-BT (Bluetooth) 71.98.1405

Licence that allows the participants to connect their hearing device via Bluetooth to easily follow the meeting.

CONFIDEA FLEX WIRED



The most versatile tabletop conference device

Confidea FLEX is a tabletop conference device with a touch screen. Developed with a durable housing in zinc and aluminum, the device is stable and does not move, even when moving the microphone. The touch screen of the Confidea FLEX allows you to see what is relevant: the agenda, speech time, interpretation channels, and

so much more. The special feature of the system is the possibility to extend the functionalities of the device with additional licences. It grows with the needs of the room and adapts to you and your meeting. To facilitate the use of the device for visually impaired people, it has braille guides under the microphone button and the screen.



- » Confidea FLEX 71.98.0131

Wired tabletop unit, with touch screen, integrated speaker, microphone connector, NFC badge reader, microphone buttons with hidden LED lights, braille guides, Bluetooth support to connect devices for hearing impaired people. Microphone sold separately.

CONFIDEA FLEX WIRELESS



- + Do you need flexible meeting possibilities in different rooms of your facilities?
- + Do you manage multi-purpose spaces with varying room layouts according to the occasion?
- + Are COVID-19 regulations forcing you to change your set-ups and add remote functionalities?
- + Do you rent meeting equipment on an as-needed basis?

These are all very real scenarios that have one thing in common: they all make you wish you had a meeting system that is **quick and easy to deploy**. Well, your wish is about to come true: discover how Televic's new Confidea FLEX G4 wireless solution has you covered.

Confidea FLEX G4 wireless is a solution that offers **unparalleled versatility and flexibility** in the number of participants, conferencing options over different rooms and meeting configurations that are 100% cable- and worry-free.

CONFIDEA FLEX WIRELESS

Confidea WAP G4
wireless access point
71.98.0034



Confidea FLEX G4
touch enabled
conference unit
71.98.0081



Confidea CHT G4
smart battery charger
71.98.0046



Confidea FLEX TC
transport case
71.98.0047



Confidea BP G4
rechargeable batteries
71.98.0045



TABLETOP UNITS

CONFIDEA FLEX WIRELESS

The next generation of meetings made easy

Choose the best solution in the market.



ULTIMATE
FLEXIBILITY



WORRY-FREE
WIRELESS



SMART BATTERY
MANAGEMENT



BUILT FOR
SECURITY



→ WATCH THE FULL
PRODUCT VIDEO
HERE



CONFIDEA FLEX WIRELESS



See & Feel the Difference.

The Confidea FLEX G4 touch screen gives you additional control and information. It allows you to see what's relevant on-screen depending on the context: agenda, voting, and more.

Confidea FLEX G4 doesn't just look different. It feels different, too. For special interactions such as voting, the display uses **haptic feedback**. The screen re-creates the physical touch experience by gently vibrating. Select a voting option, and the display will respond to give you an extra layer of confidence in casting a vote.

Visually impaired users enjoy braille indicators and 5 guides underneath the screen to make Confidea FLEX G4 easier to use.

Confidea FLEX G4 starts from a durable alloy of zinc and aluminum to create a **stable device** that does not budge at all when you move around the microphone. It was expertly adjusted to ensure a flawless weight distribution.



- 1/ **5.2-inch Full-color Touch Screen**
Haptic feedback and anti-fingerprint coating
- 2/ **3.5 mm Headphone Jack**
Left and right side for easy access
- 3/ **Badge Reader Slot**
Including NFC: tap to identify
- 4/ **Microphone Button with Hidden LEDs**
LED icons light up depending on functionality and activated license: microphone, dual microphone, priority
- 5/ **Braille Indicators**
Triple dots underneath microphone button, individual dots underneath touch screen


- 6/ **Mike**
Push and lock USB-C microphone
- 7/ **Bluetooth® Support**
For use with Bluetooth® hearing aids
- 8/ **Built-in Speaker**
Engineered with Televic rich sound processing
- 9/ **Dual Status LEDs (Back)**
Display active microphone or request-to-speak status
- 10/ **Light sensor**
Automatically adjusts luminance of the screen.
- 11/ **Screw Openings (Bottom)**
Option to fix unit to table
- 12/ **USB-C port**
Power your device even without batteries connected
- 13/ **Dual battery capability**
Hot-swap battery redundancy
- 14/ **Batteries**
Push to test capacity

CONFIDEA FLEX WIRELESS

CONFIDEA FLEX WIRELESS

"I am proud to see that our team has managed to turn years of experience and innovation into an unparalleled versatile wireless solution."

DIDIER ROSEZ, PRODUCT MANAGER AT TELEVIC CONFERENCE



An astonishing design.



reddot winner 2020

Design-wise, the Confidea FLEX G4 wireless solution continues on the road paved by its wired predecessor. A very deliberate choice, as this existing design was among the happy few to convince the jurors of the **Red Dot awards** who commented on the solution as follows: 'This conference device is designed to be **user-friendly**. Its carefully considered concept **guarantees well-organised meetings.**'

Chairpersons are in control

- + Use next-in-line to select the next person in a request list
- + Record meetings
- + Manage voting sessions

Delegates are in the know

- + See who is speaking
- + See the speaker list
- + See the number of people in request
- + Vote and see the results

Operators create flow

- + Add a custom welcome screen
- + Display the participant's name on screen for fixed seating
- + Show a welcome message



TABLETOP UNITS

CONFIDEA T WIRED




A wired device for all your needs

The Confidea T is a tabletop conference unit, ideal for fixed and mobile installations. As a strong system that has proven itself, it works as well with smaller meeting and as with large international conferences.

Confidea products are known for their exceptional audio quality rendering. The natural sound produced by the units improves the intelligibility while reducing the general fatigue during long conferences.

Overview of an installation with :

- Confidea T
- Plixus AE-R



CONFIDEA T WIRED



» Confidea T-DD

71.98.0105

Wired tabletop delegate unit with integrated speaker and microphone connector. Microphone sold separately.



» Confidea T-CD

71.98.0115

Wired tabletop chairperson unit with integrated speaker and microphone connector, Next-in-line and Priority button. Microphone sold separately.



» Confidea T-DV

71.98.0106

Wired delegate unit with integrated speaker, microphone connector, 3 voting options, RFID card slot. Microphone sold separately.



» Confidea T-CV

71.98.0116

Wired chairperson unit with integrated speaker, microphone connector, 3 voting options, RFID card slot, Next-in-line and Priority button. Microphone sold separately.



» Confidea T-DI

71.98.0107

Wired delegate unit with integrated speaker, microphone connector, interpretation channel selector with OLED display, RFID card slot. Microphone sold separately.

CONFIDEA T WIRED



» Confidea T-CI

71.98.0117

Wired chairperson unit with integrated speaker, microphone connector, RFID card slot, interpretation channel selector with OLED display, Next-in-line and Priority button. Microphone sold separately.



» Confidea T-DIV

71.98.0108

Wired delegate unit with integrated speaker, microphone connector, 5 voting options, RFID card slot and interpretation channel selector with OLED display. Microphone sold separately.



» Confidea T-CIV

71.98.0118

Wired chairperson unit with integrated speaker, microphone connector, 5 voting options, RFID card slot, interpretation channel selector with OLED display, Next-in-line and Priority button. Microphone sold separately.



» Confidea T-2D2I

71.98.0126

Wired delegate unit with integrated speaker, microphone connector, microphone activation button, RFID card slot and 2 interpretation channel selectors with OLED display. Microphone sold separately.



» Confidea T-D2I

71.98.0125

Wired delegate unit with integrated speaker, microphone connector, 2 microphone activation buttons, RFID card slot and 2 interpretation channel selectors with OLED display. Microphone sold separately.

CONFIDEA G3 WIRELESS



Have a wireless experience

Forget all the cables and have a limitless experience. The wireless products offer unparalleled flexibility: freedom of movement, flexible number of participants, connection of several units, and much more. Easy to install and control, Confidea G3 is reliable above all. The Confidea G3 system is an autonomous solution that is completely managed through antenna. Thanks to the webserver interface, the configuration is done in

a few clics: initializing, choosing the microphone mode and configuring the audio. The webserver allows to visualize the used and usable frequencies in its surroundings, and thus to choose the best frequency for the wireless system. With the page operator, you can control the microphones in the room. Thanks to this wireless functionality, you don't need to worry about technology and can concentrate entirely on the meeting.



Overview of an installation with :

- Confidea WCAP G3
- Confidea G3

Room audio equipment optional

CONFIDEA G3 WIRELESS



» Confidea WCAP G3 **71.98.0033**
 Acces point with 6.3 mm jack balanced analog IN and OUT and integrated webserver adapted to mobiles devices for installation, configuration and management of the conference system.

» Confidea APPS **71.98.0041**
 Electrical adapter used for Confidea WCAP+ in autonomous mode (24V).

» Confidea DD G3 **71.98.0005**
 Wireless delegate unit with integrated speaker and microphone connector. Microphone and battery sold separately.

» Confidea CD G3 **71.98.0015**
 Wireless chairperson unit with integrated speaker, microphone connector, Next-in-line and Priority buttons. Microphone and battery sold separately.

» Confidea DV G3 **71.98.0006**
 Wireless delegate unit with integrated speaker, microphone connector, 3 voting options, RFID card slot and OLED display. Microphone and battery sold separately.

CONFIDEA G3 WIRELESS



» Confidea G3 CV

71.98.0016

Wireless chairperson unit with integrated speaker, microphone connector, 3 votin options, RFID card slot, OLED display, Next-in-line and Priority buttons. Microphone and battery sold separately.



» Confidea G3 DI

71.98.0007

Wireless delegate unit with integrated speaker, microphone connector, microphone activation button, RFID card slot and interpretation channel selector with OLED display. A maximum of 4 channels can be received. Microphone and battery sold separately.



» Confidea G3 CI

71.98.0017

Wireless chairperson unit with integrated speaker, microphone connector, microphone activation button, Next-in-line and Priority buttons, RFID card slot and interpretation channel selector with OLED display. A maximum of 4 channels can be received. Microphone and battery sold separately.

CONFIDEA G3 WIRELESS



» Confidea G3 CIV

71.98.0018

Wireless chairperson unit with integrated speaker, microphone connector, microphone activation button, Next-in-line and Priority button, RFID card slot, 5 voting options and interpretation channel selector with OLED display. A maximum of 4 channels can be received. Microphone and battery sold separately.



» Confidea G3 D2I

71.98.0025

Wireless delegate unit with integrated speaker, microphone connector, microphone activation button, RFID card slot and 2 interpretation channel selectors with OLED display. A maximum of 4 channels can be received. Microphone and battery sold separately.



LEWIS RICE COURTROOM, ST. LOUIS, UNITED STATES

CONFIDEA G3 WIRELESS



» Confidea BP

71.98.0042

Battery for Confidea unit. Sold separately for every wireless Confidea unit.

» Antenna WCAP G3 kit

71.90.9405

Directional antenna kit for Confidea WCAP G3
External antenna for a directional radiation pattern (120° horizontal beamwidth and 11° vertical beamwidth) (optional).

» Confidea BPC

71.98.0040

Adapter to charge a battery individually (15V).

» Confidea CHT

71.98.0043


Charger for 6 batteries, 19" rack-mountable.

» Confidea CHC

71.98.0044

Storage and charging case for 12 wireless units, 12 Confidea BP batteries, 12 microphones (30, 40 & 50 cm), 2 Confidea CHT and 1 Confidea WCAP G3. It can be connected directly to the secor to charge all batteries.


CONFIDEA G3



Wireless coupling/decoupling

The wireless Confidea G3 conference system offers an unparalleled flexibility for versatile rooms. A solution exists as well for modular rooms with several conferences at the same time. When connected to the Plixus AE-R and MME central units, Confidea G3 allows to couple and decouple

the conference rooms through wireless connection. Up to 10 access points can be connected, all with one click on the webinterface of the Plixus AE-R or MME central unit. Through the API, it is possible to control couplings/decouplings from third party touch interfaces.



Room A and room B are autonomous. In only 1 click, they can be connected to create a bigger room controlled by only one Plixus central unit.



CONFIDEA F




A conference system that integrates wherever you want

The Confidea F range is composed of flushmount conference devices. Plixus powered, they are developed to integrate perfectly into the furniture of different conference rooms, from meetings to parliamentary debates, councils and hemicycles. Thanks to its simple and sturdy design as well as exceptional audio quality, this selection of products enhances the intelligibility during meetings and debates, and professionalizes the working environment for thousands of delegates. Its voting

options, customisable with LED colors, allow to identify different choices during crucial voting sessions. Confidea F devices allow people from different nationalities to participate in a meeting in their native language. This selection of products helps you create the ideal meeting environment by integrating, without any problems, the conference devices in the furniture: a solution that is at the same time easy, clean and discrete. Its design takes the conference back to its essence.

Overview of an installation with :

- Confidea F
- Plixus AE-R





CONFIDEA F



» Confidea F-DM

71.98.0505



Flushmount delegate unit with microphone connector. Microphone sold separately.



» Confidea F-CM

71.98.0515

Flushmount chairperson unit with microphone connector, Next-in-line and Priority buttons. Microphone sold separately.



FLUSHMOUNT UNITS



CONFIDEA F



» Confidea F-DD

71.98.0501

Flushmount all-in-one delegate unit with microphone connector and speaker. Microphone sold separately.



FLUSHMOUNT UNITS



CONFIDEA F



» Confidea F-DV

71.98.0502



Flushmount all-in-one delegate unit with microphone connector, speaker, 5 voting options and RFID card slot. Microphone sold separately.



» Confidea F-CD

71.98.0511



Flushmount all-in-one chairperson unit with microphone connector, speaker, Next-in-line and Priority buttons. Microphone sold separately.



» Confidea F-CV

71.98.0512

Flushmount all-in-one chairperson unit with microphone connector, speaker, 5 voting options, RFID card slot, Next-in-line and Priority buttons. Microphone sold separately.





CONFIDEA F



» Confidea F-DI

71.98.0503

Flushmount all-in-one delegate unit with microphone connector, speaker, interpretation channel selector with OLED display. Microphone sold separately.





CONFIDEA F



» Confidea F-DIV

71.98.0504



Flushmount all-in-one delegate unit with microphone connector, speaker, 5 voting options, RFID card slot, interpretation channel selector with OLED display. Microphone sold separately.



» Confidea F-CI

71.98.0513

Flushmount all-in-one chairperson unit with microphone connector, speaker, interpretation channel selector with OLED display, Next-in-line and Priority buttons. Microphone sold separately.



FLUSHMOUNT UNITS



CONFIDEA F



» Confidea F-CIV

71.98.0514



Flushmount all-in-one chairperson unit containing: microphone connector, speaker, 5 voting options, RFID card slot, interpretation channel selector with OLED display, Next-in-line and Priority buttons. Microphone sold separately.



» Confidea F-CS

71.98.0551

Autonomous interpretation channel selector with OLED display indicating the number, abbreviation of the name of the language and the volume.



“Our new microphone system has helped tremendously! We have always live-streamed our Council meetings, but once we implemented the microphone system, the quality and clarity came through and the audience could actually hear what was being said. It is very easy to use and set up.”

KIM KEESLER,
CITY CLERK, VILLAGE OF ALMONT, US

Excellent customer satisfaction score



INDEPENDENT CLIENT SURVEY 2020



“Televic Conference offers solutions we can count on.”

CARL HOWELL,
THOMPSON ELECTRONICS, U.S.



D-CERNO F



» D-cerno F-DM

71.98.0311



Delegate microphone panel for basic discussion systems. Minimalistic integration into any meeting room furniture. Microphone on/off button and removable microphone connector. Microphone sold separately.



» D-cerno F-CM

71.98.0312

Chairman microphone panel for basic discussion systems. Minimalistic integration into any meeting room furniture. Microphone on/off, priority and next-in-line buttons, and removable microphone connector. Microphone sold separately.



CUSTOM



LE CONSEIL RÉGIONAL D'ÎLE-DE-FRANCE, SEINE SAINT DENIS, FRANCE

Customization at your fingertips

Acquire a meeting room that meets your every expectation. Whether it's flushmount units with a unique design, additional buttons or engravings in another language, create a solution that makes your meeting room complete, with products that integrate perfectly into your furniture, or that stands out because of the design.

From the look to the functionalities, customize the product that will meet to your needs in the best possible way. It is also possible to add your logo or additional power supply ports. The customization is at your fingertips. Discover all the options and get to a unique solution.



FLUSHMOUNT UNITS

CUSTOM

Confidea F-BOX solution

The Confidea F-BOX is a standard solution with full audio experience for custom delegate/chairman units.


Simply connect the peripherals of your choice for a clean integrated solution: the Confidea F-BOX is a compact Plixus audio interface, perfectly designed to be installed under a table, between the armrests of a chair, underneath an elevated floor or in any other hidden place.

The Confidea F-BOX comes with embedded ports and connections to ensure a smooth and versatile integration in any audio scenario: use the connectors to plug a microphone, a microphone button to show its status, voting buttons, a loudspeaker, and even headphones.

And since the Confidea F-BOX comes with the convenience of the Plixus architecture, a simple CAT 5e cable is all you need to connect it to the conference network.


Features

- Easy configuration for connecting a microphone, headphones, speakers, etc.
- Effortless integration to the Plixus network with redundant Plixus ports.
- Power over Plixus
- Designed with high quality sound (24 bits / 48 Hz)
- Can be configured as a chairperson or delegate unit via the software
- Small footprint



Overview of an installation with:

- A loudspeaker
- A microphone
- Two buttons



» Confidea F-BOX

71.98.0522

Compact audio interface to be installed under a table, on the armrest of a chair or any hidden place. Embedded ports and connections for microphone, microphone button, voting buttons, customized buttons, loudspeaker, headphones.

» Confidea F-BOX_MIC

71.98.0523

Screw-lock microphone connector assembly with 1.2 m cable for easy connection to the Confidea F-BOX solution.

» Confidea F-BOX_DL_PBTN

71.98.0524

Delegate capacitive touch button with request-to-speak symbol, LED indication and 1.2 m cable for easy connection to the Confidea F-BOX solution.

» Confidea F-BOX_MF_PBTN

71.98.0525

Delegate capacitive touch button with LED indication and 1.2 m cable for easy connection to the Confidea F-BOX solution. Comes without screening. A custom symbol can be applied to the surface.

» Confidea F-BOX_BTN

71.98.0526

Mechanical push button with LED indication and 1.2 m cable for easy connection to the Confidea F-BOX solution. Comes without screening. A custom symbol can be applied to the surface.

FLUSHMOUNT UNITS

CUSTOM

- 1 Discussion unit in brushed aluminum without any visible screws, integrated in the armrest and with speaker. Specific button to avoid microphone activation by accident.
- 2 Integrated discussion unit in the armrest with interpretation channel selector.
- 3 Confidea F-DIV unit with braille embossed buttons, 4 voting options with adapted serigraphy, button for intervention.
- 4 Confidea F-DV unit with imitated wooden finish.



CITY HALL OF LA ROCHELLE, FRANCE

MULTIMEDIA UNITS

UNICOS & PLIXUS NAMEPLATE



→ WATCH THE FULL PRODUCT VIDEO



MULTIMEDIA UNITS

UNICOS




EUROPEAN MEDICINES AGENCY, AMSTERDAM, THE NETHERLANDS

Decision-making made smarter, faster and more precise

Taking the right decisions in a limited time is a real challenge for organisations. However, it is essential that they can run meetings that without surprises and during which the participants have access to the necessary information, no matter the size of the organisation. Full of technology, the range of uniCOS units provides all the relevant

details through a touch screen and helps capture the essence of the discussed topics. The content (agenda, discussion, speech time, etc.) appears on this touch screen and can be controlled and directed by the operator to increase the efficiency and attention of the meeting.

Thanks to the exceptional performance of the Plixus network, the participants can enjoy HD video with minimal delay compared to the entrance in the centre. Up to 6 video streams are sent simultaneously onto the Plixus network.



Overview of an installation with:

- Plixus MME
- Plixus PS
- Plixus NEXT
- Plixus Nameplate
- uniCOS TMM 10
- uniCOS FMM 10
- uniCOS FMM 7





Common features

unicOS T/MM | unicOS F/MM 10 | unicOS F/MM 7

- Microphone activation button
- Microphones sold separately
- Screw-lock microphone connector
- Built-in 5MP camera
- Surface without edges for easy cleaning
- RFID card slot for authentication
- 3,5 mm stereo headphone connector
- 2 USB 2 ports to connect a Plixus Nameplate or charge a phone
- 6 low-latency video streams
- Power supply on the Plixus conference network (RJ45) or through a 48 V cable
- Combination possible of unicOS units with Confidea units (wired and wireless) in the same network



» unicOS T/MM 10

71.98.2003

Tabletop unit with adjustable touch screen.
10" adjustable touch screen.

UNICOS




» uniCOS F/MM 10

71.98.2001

Flushmount unit with touch screen.
Possibility to have the fingerprint option
10" touch screen

Technical drawing of the uniCOS F/MM10 (in millimeter)



UNICOS




» uniCOS F/MM 7

71.98.2002

Flushmount unit with touch screen
7" touch screen

Technical drawing of the uniCOS F/MM7



UNICOS

Features

- Overview of the speaker request list
- Speech time progress bar
- Voting with up to 10 options
- Documentation view
- Consulting the agenda and meeting information
- The president can give the floor to participants on the speaker request list, start the voting and scrolling through the agenda.



A 10" uniCOS F/MM flushmount unit with fingerprint



A 7" uniCOS F/MM flushmount unit



» uniCOS F/MM10 Bracket

71.98.2013

» uniCOS F/MM7 Bracket

71.98.2012

Mounting bracket for uniCOS F/MM7 and F/MM10 with a 60° angle

UNIBOX



» uniBOX

71.98.2004

Interface box which allows to provide the uniCOS experience on any HDMI touch screen, even retractable. This has to be combined with Confidea F (with a microphone button, loudspeaker, etc.) and is the solution for custom projects.

Overview of an installation with:

- uniBOX
- Motorised screen
- Deported microphone



V-IN | V-OUT



» V-IN

71.98.2920

Video-IN Box to insert visual content into the Plixus network through an HDMI connection. An inserted video channel through the box is routed to one of the 6 possible video streams on the Plixus network (CoCon Video Routing required). Content sharing available on the video-request panel (Plixus V-REQ) or through the available contacts.



» V-REQ

71.98.2921

Video-REQUEST panel to connect to the Plixus V-IN to request that a participants' video stream becomes available on the Plixus network (optional).



» V-OUT

71.98.2922

Video-OUT Box to extract a video stream from the Plixus network through an HDMI connection. By default, the 3G-SDI of Plixus MME is available via HDMI connection. Routing to other channels available on the Plixus network (CoCon Video Routing required). Flexible selection of video channels available on the Plixus network can be realised by connecting the video selector (Plixus V-SEL).



» V-SEL

71.98.2923

Video-SELECT Panel (optional) to connect to the Plixus V-OUT to select different video channels on the Plixus network.



Be well recognized, beyond the shadow of a doubt

The Plixus Nameplate uses the E-Ink technology for optimal legibility. It displays crisp text with high contrast and a maximum viewing angle (180°). In addition, the information can be retained if the nameplate is powered off. The Plixus Nameplate display eliminates reflections and flickers, even when filmed or broadcasted.

A LED strip on top of the Nameplate can show the request to speak status (green blinking) or the speaking status (red light). A participant's information can even be displayed automatically when he or she inserts an identification badge.



Plixus Nameplate

71.98.2051

A double-sided nameplate based on the E-Ink technology can be connected in series to the Plixus Network or directly through USB to the uniCOS units. Speaker request is possible through the button at the bottom, LED strip on top. CoCon Nameplate required.



PLUG & PLAY

D-CERNO



→ WATCH THE FULL
PRODUCT VIDEO



D-CERNO



The simplest tabletop device

D-Cerno is a discussion system intended to small or medium-sized conference rooms. It stands out because of its digital technology, elegant design and user-friendliness. The D-Cerno SL range offers enhanced stability and its simple design fits the times. As it is ventilator-free, the tabletop unit is perfectly silent and can be integrated in or placed

on top of the table. The system automatically switches to stand-by mode when the meeting has ended, even when you forget to turn it off. The system is ready-for-use and has a fail-safe redundancy technology. There is no need for any specific technical knowledge to install or use the D-Cerno solution.

Common features

D-Cerno CU | D-Cerno CUR

- 4 digital RJ45 ports
- Branche or loop connection (redundancy)
- Plug & play
- Control over 50 D-Cerno or D-Cerno SL units
- Possibility to combine 3 central units for 150 units

- Eco Power Safe mode
- Lockable Power connection
- XLR out, XLR in, RCA in et 2 RCA out
- External power supply

D-CERNO



» D-Cerno CU

71.98.0320

See common features.

» D-Cerno CUR

71.98.0321

Digital tabletop central unit for controlling up to 50 D-Cerno units (or D-Cerno SL). Integrated webserver for remote control through tablet or smartphone. Integration of a camera-tracking system is possible as well. Thanks to 2 USB connectors on the front, the D-Cerno CUR allows to record the audio into WAV or MP3 format on a USB stick.

» D-Cerno PS

71.98.0340

Power supply for D-Cerno CU and D-Cerno CU-R.

» D-Cerno TC

71.98.0344

High quality transport and storage case for a complete D-Cerno system, 12 D-Cerno units (D, C, 30cm) and one central unit, power supply and cables included.

» D-Cerno SL TC

71.98.0333

High quality transport and storage case for a complete D-Cerno system, 12 D-Cerno SL units, 12 microphones (30cm, 40cm, 50cm) et one central unit, power supply and cables included.

D-CERNO

Common features

D-Cerno C SL | D-Cerno D SL

- Screw-lock microphone connector (for D-Mic xxSL)
- Buttons for microphone and volume
- Integrated speaker
- Headphone output
- Comes with a 2m cable
- Microphone sold separately



» D-Cerno C SL

71.98.0307

Digital chairperson unit, request-to-speak button, Next-in-line and Priority button, immune to mobile phone interferences.



» D-Cerno D SL

71.98.0306

Digital delegate unit, request-to-speak button, immune to mobile phone interferences.

D-CERNO



» D-Cerno DL

71.98.0303

Digital delegate unit, 50 cm microphone immune to mobile phone interferences, touch buttons for microphone and volume, integrated speaker, headphone output, comes with a 2-m cable.



» D-Cerno CL

71.98.0304

Digital chairperson unit, 50 cm microphone immune to mobile phone interferences, touch buttons for microphone, volume, Next-in-line and Priority, integrated speaker, headphone output, comes with a 2-m cable.



» D-Cerno D

71.98.0301

Digital delegate unit, 30 cm microphone immune to mobile phone interference, touch buttons for microphone and volume, integrated speaker, headphone output, comes with 2-m cable.



» D-Cerno C

71.98.0302

Digital delegate unit, 30 cm microphone immune to mobile phone interference, touch buttons for microphone, volume, Next-in-line and Priority, integrated speaker, headphone output, comes with 2-m cables.



PRÉSIDENCE DU GOUVERNEMENT, TUNIS, TUNISIA





A plug and play camera tracking system

Better meetings and better decisions start with getting participants closer together. Camera tracking closes the gap between people by letting everyone see and understand each other in close-

up. T-Cam gives you an easy way to install camera tracking, to create talking heads, and to configure different views. On any Televic conference system. The result: crystal-clear video for better involvement.



» T-CAM Package

71.98.1303

Camera tracking solution compatible with Plixus, Confidea G3 and D-Cerno systems.
 Consists of following items:
 - 2 full HD cameras
 - Video switcher
 - Video capture card (Only for preview. If used, desktop PC with PCI slot required!)
 - Camera tracking software + license for two cameras
 - Converter cables

SDI cables or ethernet cables not included



» IP-CAM 50

71.98.1304

Pan-Tilt-Zoom IP camera with Full HD 1080p output at 60 fps.
 3G-SDI , Ethernet and HDMI interfaces.
 PoE enabled
 Can be used as an extension to the T-CAM Package (SDI) or as camera for the T-Council package (SDI / IP)
 Consists of following items:
 - 1 full HD camera
 - License for 1 extra camera in T-CAM
 - Converter cable

SDI cables or ethernet cables not included

71.98.1302


» T-CAM Name Overlay

Extension to the T-CAM Package to display the name of the delegate as an overlay on the video stream of the camera tracking solution.

CoCon Discussion software required.

CAMERA TRACKING

- 1 Switch Réseau PoE+
- 2 Logiciel Camera Control
- 3 Système de conférence
- 4 Blackmagic Atem TV Studio HD
- 5 Sortie SDI avec incrustation des noms possible





→ WATCH THE FULL
PRODUCT VIDEO

LINGUA ID



Go beyond language barriers

Pass the message with crystal clarity in any language. The Lingua Interpreter Desk breaks through all language barriers and puts all the participants on the same wave length, whatever language they speak.

As an interpreter, experience an award-winning device. It is the result of a innovative user-centered design. Comfortable, user-friendly and with full ISO 20109:2016 compliance.



LINGUA ID

Common features

Lingua ID | Lingua ID-MM

- Color display with information on:
 - Status and quality of relays
 - Output level of outgoing channels
 - Occupation of channels for outgoing languages
 - Timer
 - Messages
- Rotational coder for intuitive use
- Screw-lock socket for removable microphone
- Speaker
- Rotational controls for headphones volume, speaker volume, bass and treble.
- 6 relay buttons
- 3 outgoing languages (channels A, B or C)
- Every interpreter can set up their own outgoing languages (B or C) in advance
- Activation button with acoustic feedback (for visually impaired people)
- Braille indications under each button
- Back-up of settings
- Playback function
- Intercom function
- Mute button
- Button to ask the speaker to speak more slowly
- Automatic headset detection
- Possibility to select the type of headset to limit the noise level



» Lingua ID

71.98.2100

Audio-only interpreter desk. Can be connected to Plixus AE-R and MME. No software needed for the configuration of languages. Requires CoCon Interpretation for more than 11 languages or an advanced configuration. Microphone sold separately.



» Lingua ID-MM

71.98.2101

Multimedia interpreter desk. With the HDMI outlet, you can connect any HDMI screen to Lingua ID-MM to visualize one of the 6 video streams in the Plixus network. Can only be connected to Plixus MME, no need for software for the basic language configuration. Requires CoCon Interpretation for more than 11 languages or an advanced configuration. Microphone sold separately.

LINGUA IR



Infrared language distribution

It is one thing to deliver a message perfectly clear, but another to make sure the audience is on the same wave length. Infrared language distribution

is a strong solution. As a matter of fact, it was developed to allow each participant to appreciate the message of the speaker with the touch of a finger, with comfort and clarity, and an easy set-up. The Lingua systems are equipped with a patented automatic delay compensation, which automatically adjusts the required delay on each radiator at the touch of a button to compensate for cable length.



LINGUA IR



» Lingua T

71.98.0215

Infrared transmitter capable of transmitting up to 40 channels. It is set by default to transmit 6 channels. Additional channels can be acquired with licences (Lingua L12, Lingua L40). The audio channels are transmitted through the integrated Dante interface. Configuration of the transmitter through integrated webserver.

» Lingua L12

71.98.0216

Licence upgrade of the transmitter to 12 channels.

» Lingua L40

71.98.0218

Licence upgrade of the transmitter to 40 channels.

» Lingua RAD_H

71.98.0220

Digital infrared radiator (25W) with automatic delay compensation. Compact and light design.

» Lingua R6

71.98.0205

Infrared receiver for 6 channels. Battery included.

» Lingua R12

71.98.0206

Infrared receiver for 12 channels. Battery included.

» Lingua R40

71.98.0208

Infrared receiver for 40 channels. Battery included.

LINGUA IR

» Lingua BP

71.98.0234

Pack of 6 additional batteries for Lingua R receivers.

» Lingua RAD Mount

71.98.0225

VESA wall mount for Lingua RAD H. Possible tilt from +75 to -10 degrees.

» Lingua CHC

71.98.0235

Charging case to store and charge up to 64 Lingua IR receivers. Integrated webserver to know about the status of each receiver, updates, etc.





Manage meetings, right from your own browser

Confero 360 is Televic's newest solution for straightforward meeting management. It offers an all-in-one software package that simplifies room setup and meeting control, all managed from the Plexus engine's webserver. Its intuitive interface for setting up of a meeting room and the tools for meeting moderation were carefully designed with a clear focus on user experience.

Confero 360 brings additional features right to the core of the system, the Plexus engine. It is all web-based, so there is no need to install dedicated software on a PC. This new tool also introduces different user roles. This makes it possible to tweak the interface and see only what is important to get the job done. It allows a chairperson or operator to control the meeting, microphones and voting.



No installation needed



Wizard based configuration



Simple meeting moderation




Meeting reporting

Confero enables a smooth setup

By focusing on solving key issues when setting up a conference system, Confero makes configuring the system easy and hassle-free. The software requires no installation on a PC and is pre-installed on the Plexus central unit. Simply access the software through any web browser and run the setup in one of the 28 supported interface languages.

Confero's quick setup wizard enables a smooth configuration of the system by focusing on just a few easy steps in a very intuitive interface, making installation even easier.

Devices are automatically detected and configured, making the system plug-and-play.



CONFERO 360

Adding a Confero 360 license makes managing meetings easier than ever before. Giving the operator or chairperson the dashboard to run the meeting without taking the focus away really enables smooth and flawless meetings.

Room layout configuration




Configuring the room layout is a simple and effective way to see the location of the delegate microphones on your dashboard. Uploading a background image helps visualize the room layout. You can add microphones by dragging and dropping the seats onto the layout.

Assign roles and functionalities



Confero 360 adds an Operator, Chairperson and Signage role which can be configured via several functionalities. Simply enable or disable the functionalities for each role, or disable the roles all together if the dashboard is not needed. This allows you to focus on the meeting.

Meeting control



Once logged in as Operator or Chairperson, it's all about the meeting. Create a meeting template with delegates and RFID badges for identification, or simply drag delegates onto fixed seats. Once you start the meeting, you can easily manage the discussion by using the room layout and seat icons to enable or disable microphones, or by using the speaker and request list.

Voting



Confero 360 also provides you with voting options. Simply start a voting round from the dashboard during a meeting, add an optional voting question and take your pick between different voting answers and even secret voting. Once the voting round has started, you can see the results on your dashboard and on the signage screen when logging in as the signage role.

Meeting reports



An important part of your meeting is about reporting. Once a meeting is finished, a report and optional audio recording are made available in the Plixus engine, right from the dashboard. Simply access the meeting report which opens right in your browser, and save it as PDF or print it. The report contains the meeting details such as date, time and meeting room, as well as attendance and voting results.

Signage



It's also important to engage the audience in the room. From any browser, log in as the signage role and see who is speaking and what the voting results are.

CONFERO 360

Licenses

To unlock the Confero 360 functionality the following license is required:

» 71.98.3000 : Confero 360 license

	Confero	Confero 360
Setup Wizard	•	•
Devices Setup	•	•
License Setup	•	•
Interpretation configuration	•	•
Audio configuration	•	•
Diagnostics	•	•
Dark Mode	•	•
Multilingual user interface	•	•
Room Layout	-	•
User Roles	-	•
Meeting Template	-	•
Delegate Information	-	•
Electronic voting	-	•
Badge Identification	-	•
Signage	-	•
Meeting Reports	-	•

Confero MEET: The Software for Hybrid Council Meetings

ARE YOU FAMILIAR WITH ANY OF THE FOLLOWING SITUATIONS?

Disturbing sounds resulting from council members who forget to mute their microphone.

Microphone not being activated when someone starts speaking.

Questions being switched off, making it difficult to run the debate.

Councillors talking at cross purposes.

Voting being a cumbersome process.

Unauthorised persons disrupting the meetings.

Each of these situations undermines the debate and makes the meeting inefficient. So get ready today for tomorrow's council meeting with Confero MEET.

Confero MEET is specially designed for councils and is the perfect solution for organising hybrid council meetings. Whether you are participating physically in the Council Chamber or remotely, Confero MEET guarantees the same meeting experience for everyone.




→ WATCH THE
PRODUCTVIDEO
HERE






1. Confero PLAN




2.

Confero MEET



5.



3.

9.

8.

7.

4.

6.

1. Meeting organizer invites participants to join and create their account for the Confero platform. Meetings can be prepared from anywhere and an agenda and voting items can be added upfront. Define the room the meeting will be hosted in and who is entitled to join in.

2. After publishing a prepared meeting a mail is send to all invited participants with a link that brings them to the Confero portal. In the portal participants can see a schedule of meetings they are invited to and can consult the agenda and voting items.

3. The chairperson or meeting operator can start a published meeting. Participants physically present in the meeting room use the conference equipment of the room.

4. Participants unable to make it in person will see the meeting appear in the Confero dashboard and can join the meeting with the same privileges as participants in the room. All from the comfort of their home or office using a standard browser.


5. Remote participants using the Confero MEET interface get a view on the discussed agenda topic and have the possibility to view the complete meeting agenda. They can consult who is present in the meeting, see who speaks or is in the request to speak list. Video wise the focus is on the active speakers who are shown in a split-screen view. This brings the conversation front center increasing the engagement and focus in the meeting.

6. Remote participants can request to speak when they want to share their opinion. By doing so they end up in the same request list as physical participants. So same privileges apply regardless of where you join from. From the remote participant interface presentations can also be shared.

7. When a topic comes to a vote, remote participants can vote right from their browser interface. The user interface brings focus to the voting options. For secret voting sessions no need to worry about confidentiality as Confero has end-to-end encryption.


8. Confero is a true hybrid conference meeting platform with moderation tools. Regardless of where you participate from, all moderation tools are handled in a single interface. As a chairperson in the room you can even use your conference device to moderate the discussion, activate agenda topic or start voting session. Really straightforward and reduces the clutter on the table from different control interfaces.

9. For in-room participants a signage screen shows the video of the active speakers in a split screen view. On top of the video information like speaker name, agenda topic and even voting results are visualized. When a presentation is being shared the presentation is shown front center with the view on the presenter in a picture in picture view.



Operator and Chairman view

When present in the room the operator or chairman can see the voting items, the list of people who have voted, what their vote was (if not secret) and the requests for the floor.




Remote delegate view

Remote participants can vote electronically via the interface. Up to 5 choices are possible. Ballots can be public or secret.



Operator & Chairman view

After the meeting comes to an end a full report is available with general meeting information like date, time and duration but also participant attendance, results of voting session. When a recording was started, the audio file can be downloaded straight away.



Request to speak

Agenda

Current speakers

Next speakers

Participants

"Confero MEET is bringing a tremendous added value to our debates that take place digitally because of the Covid-19 pandemic. Even though the meetings are held online, the Confero MEET process is almost the same as the one we have for on-site meetings."

BERT MAERTENS, MAYOR OF IZEGEM, BELGIUM



Designed for your council meetings

- + Increased participation of your local councillors
- + Improved intelligibility for all participants.



Security guaranteed

- + Access/participation via personal login on standard web browsers
- + end-to-end encryption



Real interactions in a virtual environment

- + Greater authenticity thanks to name display and split view
- + Focus on active speaker and ongoing discussion topic



"For both councillors and the chairperson, the Confero MEET system offers enormous added value. The platform is completely web-based, which means that no prior installation is required. Moreover, the votes are integrated into the agenda items, making it easier to vote. In addition, the environment is very intuitive, also for the person in the chair."

DRIES DEHAUDT, MUNICIPAL COUNCIL CHAIRMAN
CITY OF IZEGEM, BELGIUM

→ **With Confero MEET, go for efficiency and security.**



Software to benefit from the maximum capacity of your devices.

Each meeting room needs different set of tools to control and manage, whatever the size, the room or the number of participants. The modular CoCon architecture offers what you need. The CoCon modules allow you to manage the agenda, the

configuration of the electronic voting, the speech times, the attendance, the mandates, etc. Combine all the modules for complex multilingual meetings, or only those you need for the discussion.



» CoCon Discussion

71.98.1101

CoCon Discussion is the base for the CoCon Conference software suite. The server/client module is based on a database and contains several applications to support the preparation and administration process before, and the control during meetings:

- CoCon Room Server
- CoCon Room Configurator
- CoCon Meeting Manager
- Operator Application
- Camera control for AMX, Creston, Extron...
- API available to communicate with third party applications

The CoCon Discussion module serves as the base for the suite and is required to run other plugin modules.



» CoCon Signage

71.98.1102

CoCon Signage is the display application within the CoCon suite. It is a plugin for CoCon Discussion, which is required to run CoCon Signage. The module can be used to display information automatically to the delegates in the room using large screens or a projector. With an assistant, CoCon Signage can be configured to display a combination of the following information:

- Overview screen of the room with the status of the microphones
- Name of the speaker
- Individual speech time
- Speech time per group
- Treated item on the agenda

A licence is required for each display screen.



» CoCon Voting

71.98.1104

CoCon Voting is a module of CoCon suite. It is a plugin for CoCon Discussion, which is required to run CoCon Voting. This module allows to manage the parliamentary voting sessions, the administration of a voting item with the possibility to add items to the agenda, the voting management by the operator or chairperson, the collection and recording of the results, the final decision. In combination with CoCon Signage, this module allows to display the voting results to the participants in the room using large screens or a projector.



» CoCon Authentication

71.98.1105

CoCon Authentication is a module of the CoCon suite that manages the identification of the participants through badges and the authorization to vote. CoCon Voting is required. This module allows to organize meetings by using the principal of free seating. It is a plugin for CoCon Discussion, which is required for CoCon Authentication. If this plugin is used for the authorization to vote, CoCon Voting is required as well.



» CoCon Interpretation

71.98.1107

This module allows to use the Interpretation application for the advanced configuration of languages, channels and desks, and the control of the activity in the booths. It also allows to define the booths and the desk in the Room Configurator.



» CoCon Import/Export

71.98.1108

This module offers additional functionalities to import and export data/statistics from/to CoCon in different formats (XML, Word) and advanced printing functionalities. It is a plugin for CoCon Discussion, which is required to run CoCon Import/Export.



» CoCon Documentation

71.98.1109

With this module CoCon offers the additional functionalities to manage documents, as well as the addition of documents linked to the agenda.



» CoCon Messaging/Services

71.98.1110


With this module, it is possible to send messages between the delegates, and between the delegates and the operator. In addition, the meeting can be improved by preset services (drinks, etc.). The delegates can request these services during the meeting. The catering staff can easily see the requests and take them into account.



» CoCon Audio Routing

71.98.1112


This licence allows the user to configure advanced audio routing between several inputs and outputs (Dante I/O, Auxiliaire I/O, microphone groups) with an intuitive user interface.



» CoCon Video Routing

71.98.1113

Management software to configure the routing of video streams in the Plixus network between several inputs and outputs (Plixus V-IN, Plixus V-OUT, Plixus MME, Lingua ID-MM, uniCOS F/MM) with an intuitive user interface.



» CoCon Nameplate

71.98.1114

Management software to easily and quickly configure the content of the Plixus Nameplates, even during the meeting: name of the participants, logos, combination of name and title of the participants. The data can be provided by existing databases of CoCon delegates or imported from an Excel List.




» CoCon Intercom

71.98.1115

This module allows to activate the intercom functionality with Plixus conference devices. When configured, up to 25 simultaneous and private calls (point-to-point) between the chairperson units, delegate units and interpretation booths can be made during the meeting. In addition, the Dante channels can be configured to connect external interphone systems. These connections can be controlled through the API.

SOFTWARE

T-REX



» T-Rex

71.98.1004

Recording software of 2 audio channels with automatic label insert, overview of the agenda and the names of the delegates, USB soundcard (2 channels) included.



» T-Rex Multichannel

71.98.1006

Recording software of 8 audio channels with automatic label insert, audio card included, overview of the agenda and the names of the delegates, possibility to record up to 16 channels with the virtual soundcard Dante (not included).



» T-Rex Transcription

71.98.1002

Transcription software including a USB pedal.



COUNCIL OF THE EUROPEAN UNION, BRUSSELS, BELGIUM





ACCESSORIES

MICROPHONES

» D-Mic 30 SL

71.98.0053

30 cm gooseneck microphone without any interference from mobile phones, with screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included.



» D-Mic 40 SL

71.98.0054

40 cm gooseneck microphone without any interference from mobile phones, with screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included.



» D-Mic 50 SL

71.98.0055

50 cm gooseneck microphone without any interference from mobile phones, with screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included.



» D-Mic 70 SL

71.98.0057

70 cm gooseneck microphone without any interference from mobile phones, with screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included.



MICROPHONES



» D-Mic 40 FF

71.98.0059

40 cm fully flexible gooseneck microphone without any interference from mobile phones, with screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included.



» D-Mic 40 Broadcast Cardioid

71.98.0072

40 cm gooseneck microphone with a broadcast performance, a cardioid pick-up pattern, screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included. Perfect for the chairperson unit and press rooms.



» D-Mic 40 Broadcast Hypercardioid

71.98.0073

40 cm gooseneck microphone with a broadcast performance, a hypercardioid pick-up pattern, screw-lock connector, bicolor LED light ring for visual signalling (red and green), foam cover included. Perfect for the chairperson unit and press rooms.



» D-Mic Handheld

71.98.0058

Handheld microphone to integrate in the armrests of seats in the audience. Requires a custom interface (not included).

HEADPHONES



» TEL 152

71.04.0154

Lightweight stereo headphones.



» Soft covers TEL 152

71.04.1154

Soft covers for TEL 152, bag of 20.



» Hard covers TEL 152

71.04.1155

Hard covers for TEL 152, bag of 20.



» EP 152

71.04.0155

Single earphones with 3.5 mm jack connector (bag of 10), compatible with the Plixus products and Lingua receiver.

AUTHENTICATION



» MID

71.43.2001

Blank RFID identification card (Mifare), not printed.

» MID PROG

71.43.2002

USB programmer for RFID identification cards (Mifare). Connects to CoCon PC. (CoCon Authentication required).



CABLES



» ICC5/2

71.60.4002

CAT5E cable, AWG24, 4 pairs, S/FTP, 2 meter, black.

» ICC5/3

71.60.4003

CAT5E cable, AWG24, 4 pairs, S/FTP, 3 meter, black.

» ICC5/5

71.60.4005

CAT5E cable, AWG24, 4 pairs, S/FTP, 5 meter, black.

» ICC5/10

71.60.4010

CAT5E cable, AWG24, 4 pairs, S/FTP, 10 meter, black.

» ICC5/20

71.60.4020

CAT5E cable, AWG24, 4 pairs, S/FTP, 20 meter, black.

» Connecteur RJ45 - 8 pin

71.69.5530

Ensemble de connecteur pour 100 connecteurs.

» Câble CAT

04.57.5114

Pliable 5 STP, 305 meter (black, 4 pairs, AWG24).





The most complete portfolio in the industry.

	TABLETOP	FLUSHMOUNT	INTERPRETER	VIDEO I/O	NAME PLATE	CAMERA TRACKING
MULTIMEDIA VIDEO ENABLED PRODUCTS	 uniCOS T/MM10	 uniCOS F/MM7	 Lingua ID-MM	 V-IN / V-OUT		
AUDIO ONLY WIRED	 Confidea FLEX	 Confidea Flushmount	 Lingua ID		 Plixus nameplate	 T-cam
AUDIO ONLY WIRELESS	 Confidea FLEX G4		 Lingua R			
PLUG & PLAY DISCUSSION	 D-verno SL					

